



KITCHEN FITTINGS

Introduction

Welcome to EuroArt Kitchen Fittings and Accessories, where innovation meets functionality to elevate your kitchen experience. As a trusted brand in kitchen and ironmongery fittings, EuroArt brings you a wide range of premium products designed to enhance both the aesthetics and functionality of your kitchen space.

Our catalogue boasts an extensive collection of kitchen tall units, pantry units, corner units, lift-up systems, drawer runners, waste bins, and much more. Each product is meticulously crafted with attention to detail, ensuring durability, ease of use, and stylish design.

Whether you're looking to optimize storage space with our versatile tall and pantry units, maximize accessibility with our innovative lift-up systems and corner units, or enhance organization with our high-quality drawer runners and waste bins, EuroArt has the perfect solution for your kitchen needs.

With EuroArt, you can expect nothing less than exceptional quality, reliable performance, and a touch of sophistication that complements any kitchen decor. Explore our catalogue and discover the perfect fittings and accessories to transform your kitchen into a functional and stylish culinary haven.

Guarantee

To support the high quality and first class engineering that has gone into the EuroArt product range, we offer a two to ten years guarantee (subject to conditions) against defects due to faulty manufacturing, workmanship or defective material. The manufacturer agrees to replace any defective EuroArt product free of charge provided the product has been fitted in accordance with the fitting instructions and maintained correctly.

Technical Support

Comprehensive information and technical support services are available by contacting:

Tel: +44 1254 263934

Email: me@euro-art.co.uk

Or visit our website

www.euro-art.co.uk





One Stop Solution!

EuroArt brings to the table a comprehensive range of door hardware for metal, wood and glass doors together with fittings for wardrobe, kitchen and lighting solutions. We offer the following three product lines to create the One-Stop Solution for all your door hardware & furniture fitting requirements:



ARCHITECTURAL HARDWARE

- Lever Handles & Knobs
- Locks & Latches
- Hinges
- Panic Hardware
- Accessories
- Intumescent Seals
- Pull Handles
- Cylinders
- Door Closers
- Electro-mechanical Products
- Sliding & Folding Door Gear

FURNITURE FITTINGS

- Hinges & Flap Stay
- Cabinet Locking System
- Wardrobe Fittings
- Wardrobe Sliding System
- Furniture Handles & Knob
- Furniture Lighting
- Drawer System (Runners & Drawer Boxes)
- Kitchen Fittings & Accessories
- Pop-up Socket & TV Lift-up
- Furniture Accessories



GLASS HARDWARE

- Floor Spring with Cam Motion Technology
- Hydraulic Patches
- Patch Fittings
- Pull Handle
- Knobs & Towel Bars
- Sliding System
- Automatic Door Bottom
- Hydraulic Hinges
- Pivot System
- Lockset & Hinges
- Shower Hinges & Connectors
- Support Bars & Brackets
- Sealing Strips

DIGITAL ACCESS LOCKS

- Digital Residential Locks
- Electronic locker Locks
- High-end retail Showroom Security System
- Digital Glass Door Locks
- Digital Drawer Locks





Drawer Systems






Features:

- Concealed, full extension, synchronized slides
- Light opening and soft closing for smooth sliding
- Quick installation and easy dismantling
- Integrated 3D front panel adjustment
- Dynamic loading capacity: 35kg


Consisting Items:

1. Drawer runners - Left / Right
2. Drawer side profiles
3. Back fixing brackets -Left / Right
4. Front fixing brackets - Left / Right
5. Screws


Kit Package



The Basic components




Space Requirement




Nominal Length NL	Soft close drawer item no.	Set/Pair
270mm	TBG5427	1
300mm	TBG5430	1
350mm	TBG5435	1
400mm	TBG5440	1
450mm	TBG5445	1
500mm	TBG5450	1
550mm	TBG5455	1

Color: Silver, White, Dark Grey, Stainless Steel


Installation Dimension (mm)



Drawer Installation Dimension (mm)




Screw Position of Slides (mm)




Installation Dimension (mm)


LW Internal cabinet width



Drawers Back and Bottom Dimension (mm)



KB Cabinet width
LW Internal Cabinet width
NL Normal length






Features:

- Concealed, full extension, synchronized slides
- Light opening and soft closing for smooth sliding
- Quick installation and easy dismantling
- Integrated 3D front panel adjustment
- Dynamic loading capacity: 35kg


Consisting Items:

1. Drawer runners - Left / Right
2. Drawer side profiles
3. Back fixing brackets -Left / Right
4. Front fixing brackets - Left / Right
5. Screws
6. Rails - Left / Right


Kit Package



The Basic components



Space Requirement




Nominal Length NL	Soft close drawer item no.	Set/Pair
270mm	TBG5527/RS	1
300mm	TBG5530/RS	1
350mm	TBG5535/RS	1
400mm	TBG5540/RS	1
450mm	TBG5545/RS	1
500mm	TBG5546/RS	1
550mm	TBG5555/RS	1

Color: Silver, White, Dark Grey, Stainless Steel


Installation Dimension (mm)

Normal Slide Length=NL


Internal Cabinet Depth=LT+NL+3



Drawer Installation Dimension (mm)




Screw Position of Slides (mm)




Installation Dimension (mm)


LW Internal cabinet width



Drawers Back and Bottom Dimension (mm)



KB Cabinet width
LW Internal Cabinet width
NL Normal length






Features:

- Concealed, full extension, synchronized slides
- Light opening and soft closing for smooth sliding
- Quick installation and easy dismantling
- Integrated 3D front panel adjustment
- Dynamic loading capacity: 35kg


Consisting Items:

1. Drawer runners - Left / Right
2. Drawer side profiles
3. Back fixing brackets -Left / Right
4. Front fixing brackets - Left / Right
5. Screws
6. Double rails - Left / Right


Kit Package



The Basic components






Space Requirement





Nominal Length NL	Soft close drawer item no.	Set/Pair
270mm	TBG5527/RSD	1
300mm	TBG5530/RSD	1
350mm	TBG5535/RSD	1
400mm	TBG5540/RSD	1
450mm	TBG5545/RSD	1
500mm	TBG5551/RSD	1
550mm	TBG5555/RSD	1

Color: Silver, White, Dark Grey, Stainless Steel


Internal Cabinet Depth=LT+NL+3



LW Internal cabinet width



NL Normal length






Features:

- Concealed, full extension, synchronized slides
- Light opening and soft closing for smooth sliding
- Quick installation and easy dismantling
- Integrated 2D/3D Front Panel Adjustment
- Dynamic loading capacity: 35kg


Consisting Items:

1. Drawer runners - Left / Right
2. Drawer side profiles
3. Back fixing brackets -Left / Right
4. Front fixing brackets - Left / Right
5. Screws
6. Rails - Left / Right
7. Double wall metal box - Left / Right
8. Drawer Slides
9. Connecting Fittings

The Basic components



Space Requirement




Nominal Length NL	Soft close drawer item no.	Set/Pair
450mm	SINK-45	1
500mm	SINK-50	1
550mm	SINK-55	1


Color: Silver Grey, White, Stainless Steel

Special Order


Installation Dimensions




Drawer Installation Dimensions



Fixing hole position for Soft-Close




Installation Dimensions




LW Internal Cabinet width

NL Nominal length

SPW Sink the banisters can meet the required space



Cutting Dimension of 16mm Chipboard






Features:

- Concealed, full extension slim undermount slides
- Light opening and soft closing for smooth sliding
- Quick installation and easy dismantling with free adjustable end brackets
- Dynamic loading capacity: 40kg


Consisting Items:

1. Cabinet profile - Left / Right
2. 89 Drawer profile - Left / Right
3. Side cover plate
4. Bottom screw (Ø3.5x15)
5. 89mm Front fixing brackets
6. Front fixing - brackets screws (Ø4x17)
7. Drawer back
8. Metal back height 84mm
9. Metal back fixed
10. Bottom fixing (for wide drawer)

The Basic components



Space Requirement




Nominal Length NL	Soft close drawer item no.	Set/Pair
270mm	STB89-27	1
300mm	STB89-30	1
350mm	STB89-35	1
400mm	STB89-40	1
450mm	STB89-45	1
500mm	STB89-50	1
550mm	STB89-55	1

Color: Pearl White, Dark Grey

Installation Dimensions (mm)

Nominal Slide Length = NL


Internal Cabinet Depth = LT=NL+3




Drawer Installation Dimensions (mm)

Drawer Front

Back




Screw Positions of the Slides (mm)




Installation Dimensions (mm)


LW Internal Cabinet Width



Drawer Back and Bottom Dimensions (mm)




Back
59mm



Bottom
Wood back
L=NL-20

KB Cabinet width
LW Internal cabinet width
NL Nominal length






Features:

- Concealed, full extension slim undermount slides
- Light opening and soft closing for smooth sliding
- Quick installation and easy dismantling with free adjustable end brackets
- Dynamic loading capacity: 40kg


Consisting Items:

1. Cabinet profile - Left / Right
2. 121mm Drawer profile - Left / Right
3. Side cover plate
4. Bottom screw (Ø3.5x15)
5. 135mm Front fixing brackets
6. Front fixing-brackets screws (Ø4x17)
7. Drawer back
8. Metal back height 121mm
9. Metal back fixed
10. Bottom fixing (for wide drawer)

The Basic components



Space Requirement




Nominal Length NL	Soft close drawer item no.	Set/Pair
270mm	STB121-27	1
300mm	STB121-30	1
350mm	STB121-35	1
400mm	STB121-40	1
450mm	STB121-45	1
500mm	STB121-50	1
550mm	STB121-55	1

Color: Pearl White, Dark Grey

Installation Dimensions (mm)

Nominal Slide Length = NL


Internal Cabinet Depth = LT=NL+3




Drawer Installation Dimensions (mm)

Drawer Front

Back




Screw Positions of the Slides (mm)





Installation Dimensions (mm)


LW Internal Cabinet Width



Drawer Back and Bottom Dimensions (mm)



KB Cabinet width
LW Internal cabinet width
NL Nominal length






Features:

- Concealed, full extension slim undermount slides
- Light opening and soft closing for smooth sliding
- Quick installation and easy dismantling with free adjustable end brackets
- Dynamic loading capacity: 40kg.


Consisting Items:

1. Cabinet profile - Left / Right
2. 185mm Drawer profile - Left / Right
3. Side cover plate
4. Bottom screw (Ø3.5x15)
5. 199mm Front fixing brackets
6. Front fixing-brackets screws (Ø4x17)
7. Drawer back
8. Metal back height 185mm
9. Metal back fixed
10. Bottom fixing (for wide drawer)

The Basic components



Space Requirement




Nominal Length NL	Soft close drawer item no.	Set/Pair
270mm	STB185-27	1
300mm	STB185-30	1
350mm	STB185-35	1
400mm	STB185-40	1
450mm	STB185-45	1
500mm	STB185-50	1
550mm	STB185-55	1

Color: Pearl White, Dark Grey

Installation Dimensions (mm)

Nominal Slide Length = NL


Internal Cabinet Depth = LT=NL+3




Drawer Installation Dimensions (mm)

Drawer Front

Back




Screw Positions of the Slides (mm)





Installation Dimensions (mm)


LW Internal Cabinet Width



Drawer Back and Bottom Dimensions (mm)



KB Cabinet width
LW Internal cabinet width
NL Nominal length





 EUROART



Drawer Runner System




Synchronized Full Extension Soft Close Concealed Undermount Slide with 3D Locking Brackets


Features:

- Synchronized soft close system
- Quick and easy assembling and dismantling the drawer
- Height adjustment 0~+3mm
- Slide adjustment $\pm 1.5\text{mm}$
- Depth (In and Out) adjustment 0~+3mm
- Loading capacity 40Kg


The Basic components



Space Requirement




Kit Package




Nominal Length NL	Soft close drawer item no.	Set/Pair
250mm	CSR425	1
300mm	CSR430	1
350mm	CSR435	1
400mm	CSR440	1
450mm	CSR445	1
500mm	CSR450	1
550mm	CSR455	1

Installation Dimension (mm)


Installation for drawer with max 16mm thick drawer side
 LW = Internal Cabinet width SKW = Internal Drawer width



Installation for drawer with max 19mm thick drawer side
 LW = Internal Cabinet width SKW = Internal Drawer width




Installation Dimension (mm)




Drawers Dimension (mm)

SKL Drawer length
 LT Inside cabinet length (min.)



Drawers Box (mm)





Concealed Full Extension Push-Open Undermount Slide With Locking Brackets


Features:

- Smooth mechanical push-open system
- Quick and easy assembling and dismantling
- Height adjustment 0~+3mm
- Loading capacity 30Kg


Consisting Items:

1. Concealed drawer runners - Left / Right
2. Locking brackets


The Basic components



Space Requirement




Kit Package




Nominal Length NL	Soft close drawer item no.	Set/Pair
300mm	CPOR431	1
350mm	CPOR436	1
400mm	CPOR441	1
450mm	CPOR446	1
500mm	CPOR451	1
550mm	CPOR456	1

Installation Dimension (mm)


Installation for drawer with max 16mm thick drawer side
 LW = Internal Cabinet width SKW = Internal Drawer width



Installation for drawer with max 19mm thick drawer side
 LW = Internal Cabinet width SKW = Internal Drawer width




Installation Dimension (mm)




Drawers Dimension (mm)

SKL Drawer width
 LT Inside cabinet length (min.)



Drawers Box (mm)






Synchronized Full Extension Soft Close Concealed Undermount Slide with 3D Locking Brackets


Features:

- Synchronized soft close system
- Quick and easy assembling and dismantling the drawer
- 18mm with damper
- Height adjustment 0~+3mm
- Loading capacity 35Kg


The Basic components



Space Requirement




Kit Package




Nominal Length NL	Soft close drawer item no.	Set/Pair
300mm	CUR300	1
350mm	CUR350	1
400mm	CUR400	1
450mm	CUR450	1
500mm	CUR500	1
550mm	CUR550	1

Installation Dimension (mm)


Installation for drawer with max 16mm thick drawer side
 LW = Internal Cabinet width SKW = Internal Drawer width



Installation for drawer with max 19mm thick drawer side
 LW = Internal Cabinet width SKW = Internal Drawer width




Installation Dimension (mm)




Drawers Dimension (mm)

SKL Drawer width
 LT Inside cabinet length (min.)



Drawers Box (mm)





Concealed Single Extensions, Soft Close Undermount slide


Features:

- One-way extension
- Tool free assembly and removal of drawer
- Drawer height adjustment: 0~+3mm
- Loading capacity: 25Kg


Consisting Items:

1. Concealed drawer runners - Left / Right
2. Locking brackets

Space Requirement



Kit Package





Nominal Length NL	Soft close drawer item no.	Set/Pair
250mm	CRSE14625	1
300mm	CRSE14630	1
350mm	CRSE14635	1
400mm	CRSE14640	1
450mm	CRSE14645	1
500mm	CRSE14650	1
550mm	CRSE14655	1


Installation Dimension (mm)

SKW= Internal drawer width
LW= Internal cabinet width


NL= Slide length
LT= Internal cabinet depth




Installation Dimension (mm)



Drawers Dimension (mm)



Standard Drawer



Internal Drawer



Synchronized Full Extension Push to Open with Soft Closing Undermount Slides (locking bracket and stabilizing bar with the kit)


Features:

- Loading capacity: 35Kg.
- Length : 300x550mm
- Drawer height adjustment: 0~+3mm
- Drawer width adjustment: +1.5mm
- Front panel gap adjustment: -2.5~+4mm

Consisting Items:


1. Concealed drawer runners - Left / Right
2. Locking brackets

Front Panel gap adjustment (+4~-2mm)



Nominal Length NL	Soft close drawer item no.	Set/Pair
300mm	CRPOS8030	1
350mm	CRPOS8035	1
400mm	CRPOS8040	1
450mm	CRPOS8045	1
500mm	CRPOS8050	1
550mm	CRPOS8055	1
600mm	CRPOS8060	1

Concealed Single Extensions, Soft Close Undermount slide with Locking Bracket



Features:


- One-way extension
- Tool free assembly and removal of drawer
- Drawer height adjustment: 0~+3mm
- Loading capacity:25Kg

Consisting Items:

1. Concealed drawer runners - Left / Right
2. Locking brackets

Nominal Length NL	Soft close drawer item no.	Set/Pair
250mm	CRSE14625	1
300mm	CRSE14630	1
350mm	CRSE14635	1
400mm	CRSE14640	1
450mm	CRSE14645	1
500mm	CRSE14650	1
550mm	CRSE14655	1

Concealed Single Extensions, Push to Open Undermount slide with Locking Bracket



Features:

- One-way extension
- Tool free assembly and removal of drawer
- Drawer height adjustment: 0~+3mm
- Loading capacity:25Kg


Consisting Items:

1. Concealed drawer runners - Left / Right
2. Locking brackets


Nominal Length NL	Soft close drawer item no.	Set/Pair
300mm	S20F800-300	1
350mm	S20F800-350	1
400mm	S20F800-400	1
450mm	S20F800-450	1
500mm	S20F800-500	1
550mm	S20F800-550	1

Load capacity : 35Kg.
 Length : 300-550mm
 Drawer height adjustment : 0~+3mm
 Drawer width adjustment : $\pm 1.5\text{mm}$

Installation dimensions (mm)
 SKW = Internal drawer width
 LW = Internal cabinet width (LW>300mm)





Hole Position (mm)




Installation dimensions (mm)


NL= Nominal Length
 LT= Internal cabinet depth
 X= Front panel thickness



Drawer size and drilling (mm)



Installation steps for stablizer bar







Synchronized Full Extension Soft Close Concealed Undermount Slide with 3D Locking Brackets

Features:

- Synchronized soft close system
- Quick and easy assembling and dismantling the drawer
- Height adjustment 0~+3mm
- Slide adjustment ± 1.5 mm
- Depth (In and Out) adjustment 0~+3mm
- Loading capacity 40Kg



Nominal Length NL	Soft close drawer item no.	Set/Pair
250mm	BBRSC43225	1
300mm	BBRSC43230	1
350mm	BBRSC43235	1
400mm	BBRSC43240	1
450mm	BBRSC43245	1
500mm	BBRSC43250	1
550mm	BBRSC43255	1
600mm	BBRSC43260	1







Push Open Full Extension Ball Bearing Slides

Features:

- Width: 45.7mm
- Thickness: 12.7mm $\pm$ 0.1 (1/2")
- Loading capacity: 30kg
- Finish: Black, Zinc Plated
- Material thickness: 1.2x1.2x1.5mm



Nominal Length NL	Soft close drawer item no.	Set/Pair
300mm	BBRPO18730	1
350mm	BBRPO18735	1
400mm	BBRPO18740	1
450mm	BBRPO18745	1
500mm	BBRPO18750	1
550mm	BBRPO18755	1
600mm	BBRPO18760	1






Luxe Series

Multi Organizer Pull-Out

Features

- Heavy duty slide with soft closing.
- Total loading capacity: 30kg.
- Cabinet width: 300 & 400mm.
- Antibacterial nano-powder coating.
- Finish: Grey+Wood.
- Full extension synchronized soft closing runners.
- Anti skid base for slip resistance and easy cleaning.





Item Code	Cabinet Width (W)	WxDxH (mm)	Material
WKB.300	300mm	232x460x490	Aluminium + Wood
WKB.400	400mm	332x460x490	Aluminium + Wood

Tall Pantry Pull-Out



Features

- Heavy duty slide with soft closing.
- Total loading capacity: 70kg.
- Cabinet width: 400mm.
- Antibacterial nano-powder coating.
- Finish: Grey+Wood.
- Anti skid base for slip resistance and easy cleaning.





Item Code	Cabinet Width (W)	WxDxH (mm)	Material
WKB.2130	300mm	250x480x(1800-2100)	Aluminium + Wood
WKB.2140	400mm	350x480x(1800-2100)	Aluminium + Wood

Multi Layer Pantry Pull-Out



Features

- Heavy duty slide with soft closing.
- Total loading capacity: 60kg.
- Cabinet width: 600mm.
- Antibacterial nano-powder coating.
- Finish: Grey+Wood.
- Anti skid base for slip resistance and easy cleaning.






Item Code	Cabinet Width (W)	WxDxH (mm)	Material
WKB.2160	600mm	553x480x1765	Aluminium + Wood

Flex Corner



Features

- Heavy duty slide with soft closing.
- Total loading capacity: 20kg.
- Cabinet width: 800mm.
- Antibacterial nano-powder coating.
- Finish: Grey+Wood.
- Anti skid base for slip resistance and easy cleaning.
- Universal Operation - Suitable for left and right hand application.





Item Code	Cabinet Width (W)	WxDxH (mm)	Material
WKB.800.CR	800mm	650x480x560	Aluminium + Wood

Double Layer Overhead Pull-Down



Features


- Heavy duty slide with soft closing.
- Total loading capacity: 12kg.
- Cabinet width: 800mm.
- Antibacterial nano-powder coating.
- Finish: Grey+Wood.
- Anti skid base for slip resistance and easy cleaning.



Item Code	Cabinet Width (W)	WxDxH (mm)	Material
WKB.600.DLU	600mm	564x268x555	Aluminium + Wood
WKB.700.DLU	700mm	664x268x555	Aluminium + Wood
WKB.800.DLU	800mm	764x268x555	Aluminium + Wood
WKB.900.DLU	900mm	864x268x555	Aluminium + Wood



 EUROART




Nova Series

Multi Organizer Pull-Out



Features

- Heavy duty slide with soft closing.
- Total loading capacity: 30kg.
- Cabinet width: 300 & 400mm.
- Antibacterial nano-powder coating.
- Finish: Anthracite.
- Anti skid base for slip resistance and easy cleaning.




Item Code	Cabinet Width (W)	WxDxH (mm)	Material
AKB.3050	300mm	253x475x536	Steel + ABS Plastic
AKB.4050	400mm	353x475x536	Steel + ABS Plastic

Narrow Spice Pull-Out



Features

- Heavy duty slide with soft closing.
- Total loading capacity: 30kg.
- Cabinet width: 150 & 200mm.
- Antibacterial nano-powder coating.
- Finish: Anthracite.
- Anti skid base for slip resistance and easy cleaning.




Item Code	Cabinet Width (W)	WxDxH (mm)	Material
AKB.150	150mm	(114-118)x493.5x510	Steel + ABS Plastic
AKB.200	200mm	(164-168)x493.5x510	Steel + ABS Plastic

Undersink Pull-Out



Features

- Heavy duty slide with soft closing.
- Total loading capacity: 10kg.
- Cabinet width: 130mm.
- Antibacterial nano powder coating.
- Finish: Anthracite.
- Anti skid base for slip resistance and easy cleaning.




Item Code	Cabinet Width (W)	WxDxH (mm)	Material
AKB.130.SK	130mm	137x492.5x272.5	Steel + ABS Plastic

Undersink Pull-Out



Features

- Heavy duty slide with soft closing.
- Total loading capacity: 30kg.
- Cabinet width: 400mm.
- Antibacterial nano-powder coating.
- Finish: Anthracite.
- Anti skid base for slip resistance and easy cleaning.




Item Code	Cabinet Width (W)	WxDxH (mm)	Material
AKB.400.SK	400mm	309x502x525	Steel + ABS Plastic

Tall Pantry Pull-Out



Features

- Heavy duty slide with soft closing.
- Total loading capacity: 60kg.
- Cabinet width: 300 & 400mm.
- Antibacterial nano-powder coating.
- Finish: Anthracite.
- Anti skid base for slip resistance and easy cleaning.




Item Code	Cabinet Width (W)	WxDxH (mm)	Material
AKB.2130	300mm	250x480x(1800-2100)	Steel + ABS Plastic
AKB.2140	400mm	350x480x(1800-2100)	Steel + ABS Plastic

Multi Layer Pantry Pull-Out



Features

- Heavy duty slide with soft closing.
- Total loading capacity: 60kg.
- Cabinet width: 450 & 600mm.
- Antibacterial nano-powder coating.
- Finish: Anthracite.
- Anti skid base for slip resistance and easy cleaning.




Item Code	Cabinet Width (W)	WxDxH (mm)	Material
AKB.2145	450mm	403x480x1765	Steel + ABS Plastic
AKB.2160	600mm	553x480x1765	Steel + ABS Plastic

Tall Slideout Pantry



Features

- Heavy duty slide with soft closing.
- Total loading capacity: 60kg.
- Cabinet width: 600mm.
- Antibacterial nano-powder coating.
- Finish: Anthracite.
- Anti skid base for slip resistance and easy cleaning.




Item Code	Cabinet Width (W)	WxDxH (mm)	Material
AKB.2150	600mm	480x535x(2000-2300)	Steel + ABS Plastic

Flex Corner



Features

- Heavy duty slide with soft closing.
- Total loading capacity: 20kg.
- Cabinet width: 800mm.
- Antibacterial nano-powder coating.
- Universal hand operation.
- Finish: Anthracite.
- Anti skid base for slip resistance and easy cleaning.




Item Code	Cabinet Width (W)	WxDxH (mm)	Material
AKB.800.CR	800mm	680x480x560	Steel + ABS Plastic

Double Layers Overhead Pull-Down System



Features

- Heavy duty slide with soft closing.
- Total loading capacity: 20kg.
- Cabinet width: 800mm.
- Antibacterial nano-powder coating.
- Finish: Anthracite.
- Anti skid base for slip resistance and easy cleaning.



Item Code	Cabinet Width (W)	WxDxH (mm)	Material
AKB.600.DLU	600mm	564x274x567	Steel + ABS Plastic
AKB.700.DLU	700mm	664x274x567	Steel + ABS Plastic
AKB.800.DLU	800mm	764x274x567	Steel + ABS Plastic
AKB.900.DLU	900mm	864x274x567	Steel + ABS Plastic

Corner S-Tray



Features

- Heavy duty slide with soft closing.
- Total loading capacity: 20kg.
- Cabinet width: 900mm.
- Antibacterial nano-powder coating.
- Finish: Anthracite.
- Anti skid base for slip resistance and easy cleaning.

Item Code	Cabinet Width (W)	WxDxH (mm)	Material
AKB.900.CRS	900mm	825x370x600	Steel + ABS Plastic




Vetra Series

Multi Organizer Pull-Out



Features

- Heavy duty slide with soft closing.
- Total loading capacity: 30kg.
- Cabinet width: 300 & 400mm.
- Antibacterial nano-powder coating.
- Finish: Grey+Glass.
- Anti skid base for slip resistance and easy cleaning.



Item Code	Cabinet Width (W)	WxDxH (mm)	Material
GKB.300	300mm	250x436x503	Grey+Glass
GKB.400	400mm	350x436x503	Grey+Glass

Narrow Spice Pull-Out



Features

- Heavy duty slide with soft closing.
- Total loading capacity: 30kg.
- Cabinet width: 150 & 200mm.
- Antibacterial nano-powder coating.
- Finish: Grey+Glass.
- Anti skid base for slip resistance and easy cleaning.






Item Code	Cabinet Width (W)	WxDxH (mm)	Material
GKB.150.SL	150mm	107x470x503	Grey+Glass
GKB.150.SR	150mm	107x470x503	Grey+Glass
GKB.200.SL	200mm	157x470x503	Grey+Glass
GKB.200.SR	200mm	157x470x503	Grey+Glass

Tall Pantry Pull-Out



Features

- Heavy duty slide with soft closing.
- Total loading capacity: 60kg.
- Cabinet width: 300 & 400mm.
- Antibacterial nano-powder coating.
- Finish: Grey+Glass.
- Anti skid base for slip resistance and easy cleaning.






Item Code	Cabinet Width (W)	WxDxH (mm)	Material
GKB.2130	300mm	250x480x(1800-2100)	Grey+Glass
GKB.2140	400mm	350x480x(1800-2100)	Grey+Glass

Multi Layer Pantry Pull-Out





Features

- Heavy duty slide with soft closing.
- Total loading capacity: 60kg.
- Cabinet width: 600mm.
- Antibacterial nano-powder coating.
- Finish: Grey+Glass.
- Anti skid base for slip resistance and easy cleaning.






Item Code	Cabinet Width (W)	WxDxH (mm)	Material
GKB.2160	600mm	553x480x1765	Grey + Glass

Flex Corner



Features

- Heavy duty slide with soft closing.
- Total loading capacity: 20kg.
- Cabinet width: 800mm.
- Antibacterial nano-powder coating.
- Finish: Grey+Glass.
- Anti skid base for slip resistance and easy cleaning.




Item Code	Cabinet Width (W)	WxDxH (mm)	Material
GKB.800.CR	800mm	650x480x560	Grey + Glass

Double Layer Overhead Pull-Down



Features

- Heavy duty slide with soft closing.
- Total loading capacity: 12kg.
- Cabinet width: 800mm.
- Antibacterial nano-powder coating.
- Finish: Grey+Glass.



Item Code	Cabinet Width (W)	WxDxH (mm)	Material
GKB.800.DLU	800mm	764x268x555	Grey + Glass




 **EUROART**



Stilo Series

Narrow Spice Pull-Out



Features

- Heavy duty slide with soft closing.
- Total loading capacity: 30kg.
- Cabinet width: 150mm.
- Finish: Chrome Plated.


Item Code	Cabinet Width (W)	WxDxH (mm)	Description	Material
CPK.150.SL	150mm	107x466x543	Left Fixing	Steel
CPK.150.SR	150mm	107x466x543	Right Fixing	Steel
CPK.200.SL	200mm	157x466x543	Left Fixing	Steel
CPK.200.SR	200mm	157x466x543	Right Fixing	Steel

Multi Organizer Pull-Out



Features

- Heavy duty slide with soft closing.
- Total loading capacity: 30kg.
- Cabinet width: 300 & 400mm.
- Finish: Chrome Plated.




Item Code	Cabinet Width (W)	WxDxH (mm)	Material
CPK.300	300mm	245x470x450	Steel
CPK.400	400mm	345x470x450	Steel

Tall Pantry Pull-Out



Features

- Heavy duty slide with soft closing.
- Total loading capacity: 60kg.
- Cabinet width: 300 & 400mm.
- Finish: Chrome Plated.





Item Code	Cabinet Width (W)	WxDxH (mm)	Material
CPK.2140	300mm	250x480x(1800-2100)	Steel
CPK.2140	400mm	350x480x(1800-2100)	Steel

Multi Layer Pantry Pull-Out



Features

- Heavy duty slide with soft closing.
- Total loading capacity: 60kg.
- Cabinet width: 600mm.
- Finish: Chrome Plated.



Item Code	Cabinet Width (W)	WxDxH (mm)	Material
CPK.2160	600mm	553x480x1765	Steel

Double Layer Overhead Pull-Down



Features

- Heavy duty slide with soft closing.
- Total loading capacity: 12kg.
- Cabinet width: 800mm.
- Finish: Chrome Plated.


Item Code	Cabinet Width (W)	WxDxH (mm)	Material
CPK.800.DLU	800mm	764x268x555	Steel

Stainless Steel Dish Rack



Features

- High-strength stainless steel dish rack.
- Better classification for bowls and plates.
- Finish: Chrome




Item Code	(T) Cabinet Width (mm)	WxDxH (mm)
KW3103-60/SS	600	565x280x65
KW3103-70/SS	700	665x280x65
KW3103-80/SS	800	765x280x65
KW3103-90/SS	900	865x280x65
KW3103-100/SS	1000	965x280x65

Flex Corner



Features

- Heavy duty slide with soft closing.
- Total loading capacity: 20kg.
- Cabinet width: 800mm.
- Finish: Chrome Plated




Item Code	Cabinet Width (W)	WxDxH (mm)	Material
CPK.800.CRU	800mm	650x480x560	Steel

S-Corner Trays



Features

- Heavy duty slide with soft closing.
- Total loading capacity: 20kg.
- Cabinet width: 900mm.
- Finish: Chrome Plated




Item Code	Cabinet Width (W)	WxDxH (mm)	Description	Material
STL.900.CP	900mm	107x466x543	Left Fixing	Steel
STR.900.CP	900mm	107x466x543	Right Fixing	Steel

Revolving Corner Unit



Features:

- Area of applications: For overlay doors
- Wire basket.
- Basket options: 180° revolving
270° Revolving
360° Revolving
- Material: Steel - spindle and carousels
plastic - bearing components.
- Finish: Chrome
- Total loading capacity: 20kg.



180 Degree




270 Degree




360 Degree


Item Code	Cabinet Width (mm)	WxDxH (mm)
WIRE180-90/CP	900	745x400x600-750
WIRE270-90/CP	900	745x400x600-750
WIRE360-90/CP	900	745x400x600-750

WB.3030.500

Features

- Material : ABS
- Sizes: W415xH500mmxD500mm
- Finish: Grey
- Capacity: 2x30 Liters
- Suitable for 450mm cabinet width
- With build in Lid for odor control




WB.3030.600

Features

- Material : ABS
- Sizes: W565xH500mmxD500mm
- Finish: Grey
- Capacity: 2x30 Liters
- Suitable for 600mm cabinet width
- With build in Lid for odor control



WB.1810.600

Features

- Material : ABS
- Sizes: W565xH500mmxD415mm
- Finish: Grey
- Capacity: 2x18 Liters & 2x10 Liters
- Suitable for 600mm cabinet width
- With build in Lid for odor control




SWB.15.300

Features

- Material : ABS
- Sizes: L250xW320xH390mm.
- Finish: Grey
- With build in Lid for odor control

EADB-20A

Features


- Material : ABS
- Sizes: 340x510x430mm.
- Finish: Grey
- With build in Lid for odor control

EAWBINS9L / EAWBINS9L

Features

- EAWBINS9L | EAWBINS14L
- Material : ABS
- Sizes EAWBINS9L: 310x255x330mm.
- Sizes EAWBINS14L: 335x275x350mm.
- Finish: Grey
- With build in Lid for odor control


Features:

- Strong texture made from virgin pvc
- Excellent quality, using hot-melt adhesive to keep alum. foil from peeling off
- Elegant appearance with durability
- Waterproof, anti-microbial, anti corrosion
- Applied to kitchen, bathroom
- Finish: Silver, Aluminum Brushed Black, White, Champagne




Item Code Alum. Foil PVC	Item Code Wood Grain	Item Code White PVC	Item Code Black	Height(mm)	Length(mm)
EASK-80	EASK-80/WG	EASK-80/WHT	EASK-80/BL	80	4000
EASK-100	EASK-100/WG	EASK-100/WHT	EASK-100/BL	100	4000
EASK-120	EASK-120/WG	EASK-120/WHT	EASK-120/BL	120	4000
EASK-150	EASK-150/WG	EASK-150/WHT	EASK-150/BL	150	4000

360° Aluminium Foiled Flexible Corner



Finish: Silver, Black, Champagne

Item No.	Height(mm)
EAEA80	80
EAEA100	100
EAEA120	120
EAEA150	150




Finish: Silver, Black, Champagne

Item No.	Height(mm)
EAE360-80	80
EAE360-100	100
EAE360-120	120
EAE360-150	150

Wood Grain

White


Aluminium Silver



Finish: Silver, Black, Champagne, Wood Grain, Customized

Item Code - Grain PVC Corner	Item Code - White PVC Corner	Item Code - Alum. Foiled PVC Corner	Height(mm)
EAEG80	EAEW80	EAE80	80
EAEG100	EAEW100	EAE100	100
EAEG120	EAEW120	EAE120	120
EAEG150	EAEW150	EAE150	150

EAL601 (PVC Plinth Leg)



Product Description:

- Made out of reinforced Nylon plastic that is strong, durable, moisture-proof and corrosion-resistant for long-lasting use.
- Models available with minimum shut height of 80, 100, 120 & 150mm
- Adjustment of height - 20mm
- Skirting clip with the bracket to attach PVC skirting boards to the front of pedestal units.
- Load capacity 150kg. for a pair.
- Finish : Black

Item Code	Height - A	Adjustment - B
EAL601-80	80mm	20mm
EAL601-100	100mm	30mm
EAL601-120	120mm	30mm
EAL601-140	140mm	30mm

EAFE5070 (Steel Plinth Leg)




Product Description:

- Made out of stainless steel that is strong, durable, moisture-proof and corrosion-resistant for long-lasting use.
- Models available with minimum shut height of 80, 100, 120 & 150mm
- Adjustment of height - 20mm
- Skirting clip with the bracket to attach PVC skirting boards to the front of pedestal units.
- Load capacity 150kg for a pair.
- Finish : SSS

Item No.	Height - A	Adjustment - B
EAFE5070-80	80mm	20mm
EAFE5070-100	100mm	30mm
EAFE5070-120	120mm	30mm
EAFE5070-150	150mm	30mm

EAVS-400 - Ventilation Grill






Drawer Organizers

CGW.001 - Divider



Features

- Compact laminate
- Sizes: W150xD470xH50mm.
- Finish: Grey




CGW.002 - Spice Bottle Holder



Features

- Compact laminate
- Sizes: W140xD470xH35mm.
- Finish: Grey




CGW.003 - Spice Bottle Holder



Features

- Compact laminate
- Sizes: W140xD470xH35mm.
- Finish: Grey




CGW.004 Knife Holder



Features

- Compact laminate
- Sizes: W140xD470xH35mm.
- Finish: Grey




CGW.005 - Divider



Features

- Compact laminate
- Sizes: W140xD470xH35mm.
- Finish: Grey




CGW.006 - Spice Bottle Holder



Features

- Compact laminate
- Sizes: W140xD150xH35mm.
- Finish: Grey




CGW.007 - Divider



Features

- Compact laminate
- Sizes: W140xD150xH35mm.
- Finish: Grey




CGW.008 - Cutlery Organizer




Features

- Compact laminate
- Sizes: W320xD470xH50mm.
- Finish: Grey




CGW.009 - Cutlery Organizer



Features

- Compact laminate
- Sizes: W924xD470xH3mm.
- Sizes: W724xD470xH3mm.
- Sizes: W624xD470xH3mm.
- Sizes: W524xD470xH3mm.
- Finish: Grey




CGW.010 - Peg Board



Features

- Compact laminate
- Sizes: W924xD470xH3mm.
- Sizes: W724xD470xH3mm.
- Sizes: W624xD470xH3mm.
- Sizes: W524xD470xH3mm.
- Finish: Grey



CGW.011 - Peg Board Pins



Features


- Compact laminate
- Sizes: W20xD20xH80mm.
- Finish: Grey



EACT1002


Product Description:

- Material : ABS
- Finish : Grey / White
- Applicable Cabinet : 450mm


EACT1004


Product Description:

- Material : ABS
- Finish : Grey / White
- Applicable Cabinet : 600mm


EACT1007

Product Description:

- Material : ABS
- Finish : Grey / White
- Applicable Cabinet : 900mm



EACT2016

Product Description:

- Material : SS 304 Grade
- Size : 103x422x472x520mm
- Depth : 65mm
- Finish : Grey

EACT2018

Product Description:

- Material : SS 304 Grade
- Size : 280x422x472x520mm
- Depth : 65mm
- Finish : Grey

EACT2019

Product Description:

- Material : SS 304 Grade
- Size : 280x422x472x520mm
- Depth : 65mm
- Finish : Grey

EACT2020

Product Description:

- Material : SS 304 Grade
- Size : 380x422x472x520mm
- Depth : 65mm
- Finish : Grey

EACT2011

Product Description:

- Material : SS 304 Grade
- Size : 535x422x472x520mm
- Depth : 65mm
- Finish : Grey

EACT2014

Product Description:

- Material : SS 304 Grade
- Size : 816x422x472x520mm
- Depth : 65mm
- Finish : Grey



 EUROART



Lift Up & Flap Stay System

Manual Parallel Lift





Features:

- Easy installation and adjustment
- 3D door adjustment
- Moment of force is adjustable according to door weight
- Cabinet height ranges from 450mm to 580mm
- Cabinet width ranges from 400mm to 1200mm
- Minimum interior cabinet depth: 300mm
- Anti-pinch function stop close when the door meet strong resistance

Consisting items:

1. Door weight and balanced mechanism
2. Swing arm
3. Oval stabilizer rod
4. Oval stabilizer rod connector
5. Arm assembly mounting plate




Power Factor	Item no.	Loading Capacity	Set/Pair
1500 - 3000N	EAFE01-H-A	3-6 kg	1
2500 - 5000N	EAFE01-H-B	5-9 kg	1

Manual




Features:

- Soft and silent close
- Easy installation and adjustment
- Moment of force is adjustable according to door weight
- Door stay in desired position from 25°-100°
- Cabinet height ranges from 300mm to 600mm
- Cabinet width ranges from 380mm to 1800mm
- Minimum interior cabinet depth: 261mm



Individually Packed

Power Factor	Item Code	Loading Capacity	Set/ctn
1000-3000N	EAFH01-H-A	3-6 kg	1
3000-6000N	EAFH01-H-B	6-9 kg	1
6000-9000N	EAFH01-H-C	9-12 kg	1




Push to Open






Features:

- Push the door slightly to open it
- Easy installation and adjustment
- Moment of force is adjustable according to door weight
- Door stay in desired position from 25°-100°
- Cabinet high ranges from 300mm to 600mm
- Cabinet width ranges from 380mm to 1800mm
- Minimum interior cabinet depth: 261mm



Individually Packed

Power Factor	Item Code	Loading Capacity	Set/ctn
1000-9000N	EAFH01-H-A	3-10 kg	1



Bi-Fold Top Stay




Features:

- Staying angle in any position between $45^{\circ} \sim 120^{\circ}$
- Door weight (including the handle weight): 7-10 kg.
- 3 Dimension fine tuning: Up & down, left & right, forward & backward $\pm 2.0\text{mm}$
- Cabinet height: 600~1040mm
- Cabinet width: Below 1200mm
- Minimum interior cabinet depth: 300mm
- With soft opening and closing mechanism.


Individually Packed

Item Code	Loading Capacity	Set/ctn
EAFL01-H-A	7-10 Kg	1

Space reserved for installation



Positioning hole



8 x Wood screws $\text{Ø}4 \times 35\text{mm}$

Manual Top Stay




Features:

- Lapcon stay for upward-opening flap doors.
- Lift-assist mechanism for extra light opening.
- Door stays in any desired position.
- Damper equipped for soft & silent closing at the end.
- Slim design and installed location maximizes space inside of cabinet.
- Simple installation by aligning body to edge of cabinet.
- Recognized by LGA for 40,000 cycles.
- Single or pair use allows wide range of door size/weight.
- 3 functions on 1 stay - lift-assist, free stop, soft close.

Individually Packed

Item Code	Loading Capacity	Set/ctn
EAYA-127A	4 Kg	1




EAYA101



@	H	L
75°	80	116
90°	80	96
110°	80	86

Installation illustration




Finish: Nickel Plated

EASB005



@	H	L
75°	205	198
90°	180	176
110°	180	128

Installation illustration




Finish: Nickel Plated

Flap Stay & Gas Lift



Item no.	Spring Force	Loading Capacity
EASB006-100N	100	4-6 Kg
EASB006-120N	120	4-6 Kg
EASB006-150N	150	4-6 Kg

Installation illustration




Finish: Nickel Plated

EASB007 (Drop Down System)



Installation illustration



Finish: Nickel Plated



Sales Office

Euro Art (UK) LTD.
69 Staverton Road, London
NW2 5HA

Warehouse

Unit K1, Philips Road
Glenfield business Park
Blackburn BB1 5PF
United Kingdom

T.: +44 1254 433883
M.: +44 787 565 1180
E.: uk@euro-art.co.uk

Oman Sales Office

Al Ghala, Muscat
T.: +968 24 117 173
M.: +968 77 027 925
E.: oman@euro-art.co.uk

Middle East, Asia & Africa

Euro Art (Middle East) FZCO
Warehouse ZE4
Jebel Ali Free Zone
Dubai, UAE

T.: +971 4 888 6345
M.: +971 50 297 9761
E.: me@euro-art.co.uk

Design Centers

Dubai: Airport Road
T.: +971 4 295 1105
M.: +971 54 990 7059
E.: me@euro-art.co.uk

Abu Dhabi: Najda Street
T.: +971 2 564 7111
M.: +971 50 209 9786
E.: ad@euro-art.co.uk

Doha: Barwa Village
T.: +974 4 490 7530
M.: +974 7 733 5728
E.: qatar@euro-art.co.uk

www.euro-art.co.uk

UAE Distribution Center

Mobility General Trading LLC
Industrial Area, Behind Al Khail
Mall, Al Quoz
Dubai, UAE

T.: +971 4 269 3832
M.: +971 50 811 9561
E.: sc@euro-art.co.uk

Saudi Office (KSA)

Mobility Arabia Trading
Company (EuroArt)
Manar Business Center
Khalid Bin Walid Street
Rakah Shamaliyah
Dammam 34224
Saudi Arabia

Riyadh Branch

Building No. 8556
Unit No. 1, First Floor
King Abdul Aziz Branch Road
King Fahd Dist.
Riyadh 12274

M.: +966 55 524 0620
E.: ksa@euro-art.co.uk