

CLIP - ON




Product Description:

- Opening angle: 165°
- Diameter of hinge cup: 35mm
- Cup depth: 11.5mm
- Drilling dimension on the door: 3~7mm
- Range for door thickness: 16~22mm
- Material: Steel
- Finish: Nickel plated

Installation Dimensions:

- H= Height of mounting plate
- K= Distance from edge of door to the edge of cup
- D= Required cover distance on the side panel
- A= Gap between door and side panel
- L= Distance from inside edge of door to the outside edge of side panel
- T= Door thickness



Options of screw and dowels




Formula and the parameters in the table below can be used for left, right and side adjustment

Figures needed of both - drilling holes "K" on the door and height "H" of the mounting plate to solve

Full Overlay



SCH311165




Coverage calculation table

D \ K	3	4	5	6	7
H 0	16	17	18	19	20
H 2	14	15	16	17	18
H 4	12	13	14	15	16

Half Overlay



SCH311166




Coverage calculation table

D \ K	3	4	5	6	7
H 0	6	7	8	9	10
H 2	4	5	6	7	8
H 4	2	3	4	5	6

Inset



SCH311167



Coverage calculation table

A \ K	3	4	5	6	7
H 0	-2	-3	-4	-5	-6
H 2	0	-1	-2	-3	-4
H 4	2	1	0	-1	-2