



Shower Door Fittings

For Commercial & Residential



Your Project Partner



Designing
Producing
Building
your glass world...!



EuroArt Complete Glass solution

For over 40 years, EuroArt has maintained its position as a leader in the frameless shower door industry. This is because we've always placed our customers first. Our mission is not only to develop products of unsurpassed quality, function, and visual appeal, but also to provide the services and project support you need to grow your business. Whether you need assistance with design, glass preparation, or installation, our highly trained technical staff is here to help you overcome any obstacle.

This catalogue includes all the products falling under our glass door category combined for our customers you with detailing and a clear structure so that you can find the fitting you are looking for with ease and accuracy. The shower fitting is made with high quality forged Brass whereas handles are made with Stainless steel. The products are design to make any rectification without damaging the glass. This gives an add on advantage post the installation of the glass fitting.

This catalogue provides a comprehensive detail of our choicest glass solutions ranging from patch and point fittings, door control devices, locks, and accessories to the most updated collection of shower cubicle fittings. These are attractive, hard wearing, and reliable products which will make your building or residence look good and which will perform their function well for many years to come - we guarantee it! As always, our aim is to provide you with the latest functionality trends that can inspire and enable even the most unimaginable glass applications.

We hope you enjoy our new complete glass solution Catalogue.





Vision

"To become a trusted and respected supplier identifying solution that meet industry and customer requirements"

Core Values

- Integrity
- Excellence
- Reliability
- Perfection
- Consistency



Quality and Tested Production

EuroArt's Product development team works on three fundamental principles – knowledge, tools, and systematic process for conceptualizing. We are striving constantly to push our boundaries forward. We try to control costs and improve quality by applying zero-defect and efficiency-focused techniques. We believe that the process of designing products is profoundly different from the process of making them. EuroArt learns from whole system to bring best quality fitting for its customers.

Training and Development

Training is a prime opportunity to expand the knowledge base of all employees. Training and development provide the individuals and organizations with different benefits such as improved employee performance and increased employee satisfaction and morale. It addresses the weaknesses of employees and the organization, increases productivity, brings innovation, reduces employee turnover, and enhances company efficiency and profile.

EuroArt gives utmost importance to staff training and continuous development at the workplace, enabling EuroArt staff who are qualified GAI, AHC and FDAI and FF&E experts to maintain their knowledge of industry standards and regulations.



Distribution

EuroArt has two main distribution hubs - Blackburn, UK and Jebel Ali Dubai, UAE.

Blackburn, UK distribution center caters the European market where as Jebel Ali, UAE distribution center manages Middle East, Asia and Africa.

Our strong logistics helps us build worldwide presence by managing the supply chain flow from our factories to warehouses and to reach the final consumer.



Malcolm Brown
Honorary Chairman

Introduction

Euro Art (UK) Ltd, with operations in Blackburn, UK develops and manufactures a comprehensive line of door hardware, including an extensive range of mortise locks, lever handles, cylinders, exit devices, door closers, hinges and builder's hardware.

Continuous research, new technologies and innovative design have positioned us among the world leaders of very reliable products with a high aesthetic value.

We ensure all products are tested and certified to internationally accepted industry standards issued by third party internationally recognized testing houses. Quality is incorporated in every stage of manufacture by the people behind the product. From design to machine operation, assembly and through to inspection every individual takes responsibility for their part in the design and manufacture of the product and contributes to a continuous quality control ethic. Function and form characterize the Euro Art products.

We have set up a dedicated export office with a single, challenging responsibility, to coordinate the export activities among all parts of the world. Euro Art will play a critical role in support of international architects, contractors and multinational corporations who demand the sophistication of quality product in every corner of the globe. Through specification writing, consulting and product selection we offer unmatched product solutions to meet the demands of today's modern buildings, while offering worldwide local support through our vast network of partners and distributors.

Euro Art will be proud to be given the opportunity to be your preferred leading specifier, distributor and technical service provider of architectural hardware across worldwide construction industry. In addition to superior product quality, Euro Art offers a mix of product expertise at a pricing that is unsurpassed in the global hardware industry.

Fine Buildings, whether new structures or refurbishment, will always need fine quality fittings and Euro Art will be there to provide them, now and in the future.

Guarantee

To support the high quality and first class engineering that has gone into the EuroArt product range, we offer a 2 to 10 years guarantee (subject to conditions) against defects due to faulty manufacturing, workmanship or defective material. EuroArt agrees to replace any defective product free of charge provided the product has been fitted in accordance with the fitting instructions and maintained correctly.

Technical Support

Comprehensive information and technical support services are available by contacting:

Tel: +44 1254 433883

Email: uk@euro-art.co.uk

Or visit our website

www.euro-art.co.uk



What's Inside

SHOWER HINGES	08 - 23
DOOR HINGE & CONCEALED HINGE	24 - 25
SHOWER CONNECTORS	26 - 32
HEADER BARS & BRACKET	33 - 37
TOWEL BARS	38 - 44
GLASS KNOBS	45 - 49
SLIDING FLUSH PULLS	50 - 51
SLIDING SYSTEM	52 - 62
SLIDING LOCK SETS	63 - 64
SHOWER SEALS	65 - 68
PROJECT REFERENCE	69 - 70



SHOWER HINGES

During the development of Shower Hinges, the needs of the installer and the expectations of the user were a priority. The glass preparation is simple, and very secure and installation is uncomplicated. The reliable holding of the door in the closed position, and the self-closing function which operates from approx. 25°, mean that the user can enjoy an untroubled shower.

Imagine walking into one of these bathrooms for the first time. Your reaction might be WOW! That's what you can add to your bathroom, the WOW! Factor, when your remodeling plan includes a modern frameless shower enclosure. Each of these showers is a stunning statement of what a properly designed, quality built frameless enclosure can add to the beauty and value of a home.


Each enclosure is adorned with EuroArt Frameless Shower Hardware. As you browse through this catalog you'll see many examples of how we can add the WOW! Factor to most every bathroom.

BH201

- Square Corner
- Wall to Glass Hinge



Matt Black




Finish: SN, CP, MBL

BH301

- Bevelled Edge
- Wall to Glass Hinge



Matt Black



Finish: SN, CP, MBL


Wall Mount Backplate Shower Hinge 90°
Features



- Glass Thickness : 8-12mm.
- Material : Brass.
- Self-closing from 20°.
- Opening : Inwards & Outwards.
- Maximum Door Width : 800mm.
- Weight capacity : 45 Kgs.
- 100,000 Cycle Tested

BH202

- Square Corner
- Glass to Glass Hinge



Matt Black





Finish: SN, CP, MBL

BH302

- Bevelled Edge
- Glass to Glass Hinge



Matt Black



Finish: SN, CP, MBL



Glass to Glass Shower Hinge 135°

Features


- Glass Thickness : 8-12mm.
- Material : Brass.
- Self-closing from 20°.
- Opening : Inwards & Outwards.
- Maximum Door Width : 800mm.
- Weight capacity : 45 Kgs.
- 100,000 Cycle Tested

BH203

- Square Corner
- Glass to Glass Hinge



Matt Black




Finish: SN, CP, MBL

BH303


- Bevelled Edge
- Glass to Glass Hinge



Matt Black



Finish: SN, CP, MBL


Glass to Glass Hinge 180°
Features


- Glass Thickness : 8-12mm.
- Material : Brass.
- Self-closing from 20°.
- Opening : Inwards & Outwards.
- Maximum Door Width : 800mm.
- Weight capacity : 45 Kgs.
- 100,000 Cycle Tested

BH204

- Square Corner
- Glass to Glass Hinge



Matt Black



Glass cutting


Finish: SN, CP, MBL

BH304

- Bevelled Edge
- Glass to Glass Hinge



Matt Black



Glass cutting

Finish: SN, CP, MBL


Glass to Glass Hinge 90°
Features


- Glass Thickness : 8-12mm.
- Material : Brass.
- Self-closing from 20°.
- Opening : Outwards.
- Maximum Door Width : 800mm.
- Weight capacity : 45 Kgs.
- 100,000 Cycle Tested

BH205


- Square Corner
- Wall to Glass Hinge with offset plate



Matt Black



Glass cutting




Finish: SN, CP, MBL

BH305


- Bevelled Edge
- Wall to Glass Hinge with offset plate



Matt Black



Glass cutting



Finish: SN, CP, MBL


Wall to Glass Hinge 90° with offset plate
Features


- Glass Thickness : 8-12mm.
- Material : Brass.
- Self-closing from 20°.
- Opening : Outwards.
- Maximum Door Width : 800mm.
- Weight capacity : 45 Kgs.
- 100,000 Cycle Tested

BH206

- Square Corner
- Fixed Clamp with Center Installation



Matt Black




Finish: SN, CP, MBL

BH306

- Bevelled Edge
- Fixed Clamp with Center Installation



Matt Black



Finish: SN, CP, MBL


Fixed Clamp with Center Installation
Features


- Glass Thickness : 8-12mm.
- Material : Brass.

BH207

- Square Corner
- Wall to Glass Clamp Without Plate



Matt Black




Finish: SN, CP, MBL

BH307

- Bevelled Edge
- Wall to Glass Clamp Without Plate



Matt Black



Finish: SN, CP, MBL


Wall to Glass Clamp Without Plate 90°
Features


- Glass Thickness : 8-12mm.
- Material : Brass.
- Opening : Inwards & Outwards.
- 100,000 Cycle Tested

BH208

- Square Corner
- Wall to Glass Fix Offset Clamp



Matt Black




Finish: SN, CP, MBL

BH308

- Bevelled Edge
- Wall to Glass Fix Offset Clamp



Matt Black



Finish: SN, CP, MBL


Wall to Glass Fix Offset Clamp 90°
Features


- Glass Thickness : 8-12mm.
- Material : Brass.

BH309

- Bevelled Edge
- Floor to Glass Pivot Hinge




Matt Black



Finish: SN, CP, MBL

Features

- Glass Thickness : 8-12mm.
- Material : Brass.
- Self-closing from 20°.
- Opening : Inwards & Outwards.
- Maximum Door Width : 800mm.
- Weight capacity : 45 Kgs.
- 100,000 Cycle Tested




BH210

- Square Corner
- Wall to Glass Short Plate Hinge



Matt Black




Finish: SN, CP, MBL

BH310

- Bevelled Edge
- Wall to Glass Short Plate Hinge



Matt Black




Finish: SN, CP, MBL


Wall to Glass Short Plate Hinge 90°
Features

- Glass Thickness : 8-12mm.
- Material : Brass.
- Self-closing from 20°.
- Opening : Inwards & Outwards.
- Maximum Door Width : 800mm.
- Weight capacity : 45 Kgs.
- 100,000 Cycle Tested

BH211


- Square Corner
- Wall to Glass Slim Plate Hinge



Finish: SN, CP, MBL

BH311

- Bevelled Edge
- Wall to Glass Slim Plate Hinge





Finish: SN, CP, MBL


Wall to Glass Slim Plate Hinge 90°
Features

- Glass Thickness : 8-12mm.
- Material : Brass.
- Self-closing from 20°.
- Opening : Inwards & Outwards.
- Maximum Door Width : 800mm.
- Maximum Door Weight : 45 Kgs. (Pair of Hinge)
- 100,000 Cycle Tested

BH212

- Square Corner
- T Glass Hinge



Finish: SN, CP, MBL

Features

- Glass Thickness : 8-12mm.
- Material : Brass.
- Self-closing from 20°.
- Opening : Inwards & Outwards.
- Maximum Door Width : 800mm.
- Weight capacity : 45 Kgs.
- 100,000 Cycle Tested




SSH401

- Wall to Glass Hinge



Matt Black



Finish: SSS, PSS, MBL

Wall Mount Backplate Shower Hinge 90°
Features

- Glass Thickness : 8-12mm.
- Material : Stainless Steel 304/316 Grade.
- Self-closing from 20°.
- Opening : Inwards & Outwards.
- Maximum Door Width : 800mm.
- Weight capacity : 45 Kgs.
- 100,000 Cycle Tested






SSH403

- Glass to Glass Hinge



Matt Black



Finish: SSS, PSS, MBL

Glass to Glass Hinge 180°
Features

- Glass Thickness : 8-12mm.
- Material : Stainless Steel 304/316 Grade.
- Self-closing from 20°.
- Opening : Inwards & Outwards.
- Maximum Door Width : 800mm.
- Weight capacity : 45 Kgs.
- 100,000 Cycle Tested






SSH405

- Wall to Glass Hinge with offset plate



Matt Black



Finish: SSS, PSS, MBL




Wall to Glass Hinge 90° with offset plate
Features

- Glass Thickness : 8-12mm.
- Material : Stainless Steel 304/316 Grade.
- Self-closing from 20°.
- Opening : Inwards & Outwards.
- Maximum Door Width : 800mm.
- Weight capacity : 45 Kgs.
- 100,000 Cycle Tested





3D HINGE FOR FRAME DOORS

ED228

MAINTENANCEFREE


Small drilling depth

Features:

- Available in 12 different finishes.
- Compatible for door thickness minimum 28mm.
- Load bearing capacity: 70kg.
- 3D adjusting system – Horizontal, vertical, and depth adjustment.
- Depth: 21mm.

Load capacity chart
2 HINGES LOAD CAPACITY CHART

Door Height mm	2200	50	50	50	49	41	37	34
	2100	50	50	50	45	39	35	32
	2000	50	50	50	41	36	33	31
	1900	50	50	45	38	34	32	29
		700	800	900	1000	1100	1200	1300
Door width mm								

3 HINGES LOAD CAPACITY CHART

Door Height mm	3000	65	65	65	65	65	65	65	65	4 HINGES SUGGESTED
	2900	65	65	65	65	65	65	65	65	
	2800	65	65	65	65	65	65	61		
	2700	65	65	65	65	65	65	57		
	2600	65	65	65	65	65	61	53		
	2500	65	65	65	65	65	57	50		
	2400	65	65	65	65	62	53	47		
	2300	65	65	65	65	57	50	45		
	2200	65	65	65	63	53	47	42		
	2100	65	65	65	58	49	44	40		
	2000	65	65	65	53	46	42	39		


SHOWER CONNECTORS

These brackets are used for securing fixed panels in a shower enclosure application. May be attached to curb, ceiling or wall or two fixed panels that create a 90°, 135° and 180° conditions.

Euroart shower screen brackets are made of solid forged brass material and available in matching finishes of other shower screen accessories.

GC801


- Square Corner
- Glass Thickness : 8-10mm



Finish: SN, CP, MBL

GC813

- Bevelled Edge
- Glass Thickness : 8-12mm




Finish: SN, CP, MBL


Wall to Glass Bracket 90°
Features

- Material : Brass.
- Secure holding with glass.

GC802


- Square Corner
- Glass Thickness : 8-12mm



Finish: SN, CP, MBL

GC814

- Bevelled Edge
- Glass Thickness : 8-12mm




Finish: SN, CP, MBL


Glass to Glass Bracket 180°
Features

- Material : Brass.
- Secure holding with glass.

GC803


- Square Corner
- Glass Thickness : 8-12mm



Finish: SN, CP, MBL

GC815

- Bevelled Edge
- Glass Thickness : 8-12mm




Finish: SN, CP, MBL


Glass to Glass Bracket 135°
Features

- Material : Brass.
- Secure holding with glass.

GC804


- Square Corner
- Glass Thickness : 8-12mm



Finish: SN, CP, MBL

GC816

- Bevelled Edge
- Glass Thickness : 8-12mm




Finish: SN, CP, MBL


Glass to Glass Bracket 90°
Features

- Material : Brass.
- Secure holding with glass.

GC806


- Square Edge
- Glass Thickness : 8-12mm



Finish: SN, CP, MBL

GC818

- Bevelled Edge
- Glass Thickness : 8-12mm




Finish: SN, CP, MBL


Wall to Glass Bracket 90° - with Plate
Features

- Material : Brass.
- Secure holding with glass.

GC806A


- Square Corner
- Glass Thickness : 8-12mm



Finish: SN, CP, MBL

GC818A

- Bevelled Edge
- Glass Thickness : 8-12mm



Finish: SN, CP, MBL




Wall to Glass Bracket 180° - with Plate

Features

- Material : Brass.
- Secure holding with glass.

HEADER BARS & BRACKETS





Features

- For glass thickness : 8-10mm.

Installation

- Clamp fixing with hexagon socket screws.


Header Bars & Brackets

Engineering excellence meets design elegance. With the EuroArt EB Series Bars & Brackets for shower cubicle system, both essential aspects come to the fore, imparting to the bathroom a modern wellness ambience.

EuroArt offers two styles of support bars for the frameless shower screen Wall-to-Glass and Glass-to-Glass. These Fixed Panel Support Bars stabilize fixed panels of glass in enclosures that do not go all the way up to the ceiling. Nylon-tipped set screws secure the glass and prevent glass-to-metal contact. Bars are available in adjustable lengths, and in sizes to secure 8 to 10 mm thick glass. Finishes are available to match most of our Hinges, Knobs, and Pull Handles. No holes or cut-outs are required in the glass. Longer length Bars are available separately on request.


EB240S

- Reinforcement bar for fix glass
- Material : Stainless Steel




Finish: SSS, PSS

EB240S L-400-600



EB241M

- Telescopic extendable reinforcement bar for fix glass
- Material : Stainless Steel




Finish: SSS, PSS

EB241M L-600-800



EB242L

- Telescopic extendable reinforcement bar for fix glass
- Material : Stainless Steel




Finish: SSS, PSS

EB242L L-800-1000




EB243


- Wall supports for header bar
- Material : Brass




Finish: SN, CP


EB244


- Universal shower rear connectors
- Material : Brass




Finish: SN, CP


EB245

- Glass middle support for handle bar
- Material : Brass




Finish: SN, CP



EB246


- Glass end support for handle bar



Finish: SN, CP


EB247


- Movable bracket




Finish: SN, CP


EB248

- T Junction bracket



Finish: SN, CP





TOWEL BARS

Every shower door needs a handle or knob to assist with the opening and closing, and our selection is second to none. Door handles and knobs are a great way to personalize a tub or shower door for any bathroom design.

Knobs are a functional and elegant method of entering and exiting a shower enclosure, while maintaining a low profile and helping to emphasize the 'all-glass' look.

Back-to-Back, Single-Sided Handles and knobs allow the user to choose the type of shower entry they desire. EuroArt Shower Door knobs and handles can be mounted on glass ranging from 8 mm to 12 mm thick.

Features



- Low projection and easy to grip..
- Body is made with high quality material to ensure reliability and durability.
- Secure holding with glass.
- Heavy duty fixing with brass adaptors.

Round Towel Bar

- Single sided towel bar
- Suitable for : 8-12mm glass thickness
- Heavy duty fixing with low profile end cap
- Material : Stainless Steel


Finish: SSS, PSS, BL/PVD



Ref. No.	A	B	Glass Cutout
SHT450	22	450	Ø12
SHT600	22	600	Ø10


Square Towel Bar

- Single sided towel bar
- Suitable for : 8-12mm glass thickness
- Bar Thickness : 19mm
- Material : Stainless Steel


Finish: SSS, PSS, BL/PVD

Ref. No.	A	B	Glass Cutout
SHT450SQ	19	450	Ø12
SHT600SQ	19	600	Ø10





Rectangular Towel Bar

- Single sided towel bar
- Suitable for : 8-12mm glass thickness
- Bar Thickness : 25mm
- Material : Stainless Steel


Finish: SSS, PSS, BL/PVD



Ref. No.	A	B	C	Glass Cutout
SHT450R	25	13	450	Ø10
SHT600R	25	13	600	Ø10


Round Towel Bar

- Back to back towel bar
- Suitable for : 8-12mm glass thickness
- Bar Thickness : 22mm
- Material : Stainless Steel


Finish: SSS, PSS, BL/PVD

Ref. No.	A	B	Glass Cutout
SHT450BB	22	450	Ø10
SHT600BB	22	600	Ø10




Square Towel Bar

- Back to back towel bar
- Suitable for : 8-12mm glass thickness
- Bar Thickness : 19mm
- Material : Stainless Steel


Finish: SSS, PSS, BL/PVD


Ref. No.	A	B	Glass Cutout
SHT450SQBB	19	450	Ø10
SHT600SQBB	19	600	Ø10


Rectangular Towel Bar

- Back to back towel bar
- Suitable for : 8-12mm glass thickness
- Bar Thickness : 25mm
- Material : Stainless Steel


Finish: SSS, PSS, BL/PVD

Ref. No.	A	B	C	Glass Cutout
SHT450RBB	25	13	450	Ø10
SHT600RBB	25	13	600	Ø10



Round Towel Bar

- Single sided towel bar with knob
- Suitable for : 8-12mm glass thickness
- Bar Thickness : 22mm
- Material : Stainless Steel


BL/PVD

Finish: SSS, PSS, BL/PVD

Ref. No.	A	B	C	D	Glass Cutout
SHTK425	25	425	32	40	Ø12
SHTK450	22	450	28	40	Ø10
SHTK600	22	600	28	40	Ø10



Glass Cutout


Square Towel Bar

- Single sided towel bar with knob
- Suitable for : 8-12mm glass thickness
- Bar Thickness : 19mm
- Material : Stainless Steel



BL/PVD

Finish: SSS, PSS, BL/PVD

Ref. No.	A	B	Glass Cutout
SHTK450SQ	19	450	Ø10
SHTK450SQ	19	600	Ø10



Glass Cutout




Rectangular Towel Bar

- Single sided towel bar with knob
- Suitable for : 8-12mm glass thickness
- Material : Stainless Steel


Finish: SSS, PSS, BL/PVD


Ref. No.	A	B	C	Glass Cutout
SHTK450R/35	35	25	450	Ø10
SHTK450R	25	13	450	Ø10
SHTK600R	25	13	600	Ø10


Round Towel Bar with Handle

- Back to back towel bar
- Suitable for : 8-12mm glass thickness
- Bar Thickness : 22mm
- Material : Stainless Steel


Finish: SSS, PSS, BL/PVD

Ref. No.	A	B	C	D	Glass Cutout
SHTH450	22	22	450	150	Ø10
SHTH600	22	22	600	200	Ø10





Square Towel Bar with Handle

- Back to back towel bar
- Suitable for : 8-12mm glass thickness
- Bar Thickness : 19mm
- Material : Stainless Steel


Finish: SSS, PSS, BL/PVD



Ref. No.	A	B	C	D	Glass Cutout
SHTH450SQ	19	19	450	150	Ø10
SHTH600SQ	19	19	600	200	Ø10


Rectangular Towel Bar with Handle

- Back to back towel bar
- Suitable for : 8-12mm glass thickness
- Bar Thickness : 25mm
- Material : Stainless Steel


Finish: SSS, PSS, BL/PVD

Ref. No.	A	B	C	D	Glass Cutout
SHTH450R	25	13	450	150	Ø10
SHTH600R	25	13	600	200	Ø10




GLASS KNOB SERIES



- Designed for Use in Sliding or Swinging Shower Door Applications.
- Provide a less obtrusive options for the fixed panels of glass.
- Body is made of solid brass material to ensure reliability and durability.
- Designed For 8-12mm Glass.
- Secure Holding with glass.

SH71DK


- Back to back shower door knob
- Material : Brass, Size: 32mm



Finish: SSS, PSS, MBL


SH72DK


- Back to back shower door knob
- Material : Brass, Size: 30mm



Finish: SSS, PSS, MBL


SH73DK

- Back to back shower door knob
- Material : Brass, Size: 30mm




Finish: SSS, PSS, MBL



SH74DK


- Back to back shower door knob
- Material : Brass, Size: 30mm



Finish: SSS, PSS, MBL


SH75DK


- Back to back shower door knob
- Material : Brass, Size: 30mm



Finish: SSS, PSS, MBL


SH78DK

- Back to back shower door knob
- Material : Brass, Size: 20 x 20mm




Finish: SSS, PSS, MBL



SH79DK


- Back to back shower door knob
- Material : Brass, Size: 25mm



Finish: SSS, PSS, MBL


SH80DK


- Back to back shower door knob
- Material : Brass, Size: 26mm



Finish: SSS, PSS, MBL


SH81DK

- Back to back shower door knob
- Material : Brass, Size: 40mm




Finish: SSS, PSS, MBL



SH82DK


- Back to back shower door knob
- Material : Brass, Size: 70mm



Finish: SSS, PSS, MBL


SH83DK

- Back to back shower door knob
- Material : Brass, Size: 30mm






Finish: SSS, PSS, MBL






GLASS SLIDING FLUSH PULLS





- Designed for Use in Sliding or Shower Door Applications.
- Provide a less obtrusive options for the fixed panels of glass.
- Body is made of high-quality material to ensure reliability and durability.
- Designed For 8-12mm Glass.
- Secure Holding with glass.

SH84P
 • Solid Round


Finish: SSS, PSS, BL/PVD


SH85P
 • Hollow Round


Finish: SSS, PSS, BL/PVD


SH86P
 • Hollow Square


Finish: SSS, PSS, BL/PVD



SLIDING SYSTEM

Glass Sliding Door Systems brings a modern aesthetic to commercial, residential and hospitality projects.

EuroArt sliding door system's use of minimal hardware offers an all-glass look that sets it apart from traditional sliding shower doors. Specially designed roller bearings produce quiet and smooth operation.

A wide range of accessories ensures that the individual sets can be adapted to an array of application types, with PHS series pull handles completing the holistic, integral appearance. Once you experience the quality and design of our sliding glass door systems, you are certain to receive a project result which will compliment and add value to any space. Our goal is to make sure that each person is satisfied with their sliding door applications.








Serenity 400 Series



Features

- The system is designed to divide space through the use of a sliding glass door with anti lift feature
- This design allows more light and add contemporary design to residential, commercial or hospitality projects.
- Mounted along an existing wall/ glass panel generating a greater clear opening
- Ideal for bedroom, kitchen, bathroom entrance, office, lounges, laboratories etc.
- Clear opening free of floor tracks
- Minimal gap between the door and the wall to enhance aesthetic and acoustic feature
- Mechanical stops that can be positioned on the track rail ensure that the door travel distance is effectively limited.
- Minimal use of force required to manually slide the glass elements
- Architectural finishes: SA, Black

Product characteristics		SERENITY 400SDS
For interior assembly		Yes
Maximum door weight		80kg
Maximum door width		1000mm
Maximum door Height		2500mm
Self closing		Cushioning effect
For standard toughened glass assembly		Yes
Sliding door	1 paneled door	Yes
	2 paneled doors	Yes
Glass thickness		8-12
No Notch		Yes
Rail height		58 mm
Installation at wall		Yes
Ceiling mounting		Yes
Adjustable		Yes
Soft closing		Yes
Tested cycles		100,000
Compliance with		EN 1527

Standard Kit Include:

Track Rail SDS-C01-01  1 Pc Track length 2000mm	Track Cover SDS-C01-02  1 Pc
Clamp SDS-C01-03  2 Pc	Door Stop SDS-C01-07  2 Pc
End Cover SDS-C01-10  2 Pc	Door Guide EWB114  1 Pc
Soft Close SDS-C01-05  2 Pc	



Serenity 400 Series

Features

- The system is designed to divide space through the use of a sliding glass door with anti lift feature
- This design allows more light and add contemporary design to residential, commercial or hospitality projects.
- Mounted along an existing wall/ glass panel generating a greater clear opening
- Ideal for bedroom, kitchen, bathroom entrance, office, lounges, laboratories etc.
- Clear opening free of floor tracks
- Minimal gap between the door and the wall to enhance aesthetic and acoustic feature
- Mechanical stops that can be positioned on the track rail ensure that the door travel distance is effectively limited.
- Minimal use of force required to manually slide the glass elements
- Architectural finishes: SSS, PSS

Product characteristics		SERENITY 400WB
For interior assembly		Yes
Maximum door weight		100kg
Maximum door width		1100mm
Maximum door height		2500mm
Masonry opening		Yes
For standard toughened glass assembly		Yes
Sliding door	1 paneled door	Yes
	2 paneled doors	Yes
Glass thickness		10-12
Glass thickness over panel/ sidelight		10-12
Installation at wall		Yes
Installation at glass		Yes
Adjustable		Yes
Countersunk single point fixing		Yes
Tested cycles		100,000
Compliance with		EN 1527

Standard Kit Include:
**Track Roller
TR83**


2 Pc

**Roller Stopper
RS83A**


2 Pc

**Roller Stopper
RS83B**


2 Pc

**Wall Bracket
WB83**


1 Pc

**Door Guide
DG83**



1 Pc

**End Plug
EP83**


2 Pc

Exclude:
**Tube
Ø25**

L=2000mm
Ø=25mm

Line Diagram:


Serenity 600 Series



Features

- High quality, frameless, suspended glass sliding doors system.
- Ideal for home & commercial use.
- Suitable for door weighing up to 100 kg.
- Soft close (Optional)

Product characteristics		SERENITY 600SDS
For interior assembly		Yes
Maximum door weight		100kg
Maximum door width		900mm
Maximum door Height		2500mm
For standard toughened glass assembly		Yes
Sliding door	1 paneled door	Yes
	2 paneled doors	Yes
Glass thickness		10-12
No Notch		Yes
Rail height		40mm
Installation at wall		Yes
Ceiling mounting		Yes
Adjustable		Yes
Soft closing		Yes
Tested Cycles		100,000
Compliance with		EN 1527

Standard Kit Include:

Track Rail 40 x 40  1 Pc	Smart Clamp  2 Pc
Roller with double direction soft close  1 Pc	Door Stopper  2 Pc
Door Guide  1 Pc	Side Cover  2 Pc



Hydroslide Series

Features

- Hydroslide Sliding Door series function facilitates optimum use of space, even in the most confined bathroom environments.
- Door kits are designed for full standing showers or bathtubs.
- Accommodates a wide range of shower designs with fixed glass panels on either end or both sides at 90 or 180 degrees.
- Shower kit is quickly and easily adaptable to slide from either left or right without the need for customization
- Comes neatly and conveniently packaged in kit form preventing the likelihood of parts being lost or misplaced.
- This series has been designed with installers in mind. The simple bolt together construction facilitates fast and easy installation. Simply cut the rail to size and bolt the screen together.
- Hydroslide sliding door series function provide effortless operation
- Sliders are manufactured from non corrosive stainless steel precision engineered material
- Architectural finishes: SSS, PSS


Technical characteristics		Hydroslide 101SR
System		180°
Configuration	1 Sliding door	Yes
	1 Fixed Panel	Yes
Maximum door weight		50kg
Maximum door width		900mm
Maximum door height		2100mm
Masonry opening		Yes
For standard toughened glass assembly		Yes
Glass thickness	8mm	Yes
	10mm	Yes
Adjustable		Yes
Stainless Steel Grade		304
Tested cycles		100,000
Compliance with		EN 1527

Standard Kit Include:

Glass Bracket  2 Pc	Door Guide  1 Pc
Wall Bracket  2 Pc	Track Roller  2 Pc
Door Stopper  2 Pc	Clamp  2 Pc
Handle SH84P  1 Pc	

Exclude:

Bar  Size=10x30mm L= 2000mm
--

Line Diagram:


Aira EASV-X70

Features

EASV-X70 is a compact sliding solution for frameless glass panels, combining latest technology with an attractive minimalist design. The system is quick and easy to install and it integrates seamlessly into any design.


Suitable for glass panels of 8-10mm in thickness, and to a maximum weight of 70Kgs, the EASV-X70 conceals all of its sliding components within the top track, giving a pleasing aesthetic appearance. There is a choice between function and / or an anti-shock braking system, thereby providing an advanced and pleasing sliding action, whilst at the same time enhancing safety; fingers are protected from being caught in the closing cycle of the glass panel, which itself is also protected from impact damage. Double softbrakes, providing both soft opening and soft closing can be installed on a frameless glass panel to a minimum width of 675mm.

Product characteristics		AIRA EASV-X70
For interior assembly		Yes
Maximum door weight		70kg
Maximum door width		1000mm
Maximum door Height		2500mm
For standard toughened glass assembly		Yes
Sliding door	1 paneled door	Yes
	2 paneled doors	Yes
Glass thickness		8-10
No Notch		Yes
Rail height		70 mm
Installation at wall		Yes
Ceiling mounting		Yes
Adjustable		Yes
Double soft closing		Yes

Standard Kit EASV-X70 x 2 Softbrakes


97100 - Kit with 1.5 meter track






97101 - Kit with 2 meter track



A= H-43

F= H-70

TT01 - Wall to Glass Application
TT02 - Glass to Glass Application




Strike Plate for TT01

Finish: SSS, MBL


TT05 - Indicator Lock without Cutout on Glass
TT05GG - Glass to Glass Application
TT05WG - Wall to Glass Application



Strike Plate
TT05WG




Finish: SN, CP, MBL


HL01


Finish: SSS, PSS


TT06- Sliding Lock with recessed pull
TT06GG - Glass to Glass application
TT06WG - Wall to Glass application



Strike Plate
TT06WG



Finish: SSS, PSS



SHOWER SEALS

EuroArt offers expertly designed sealing strip with or without magnetic profile for use on shower rooms and enclosures. The seals are made of translucent PVC extruded shower seal strip for shower and bath doors or screens for 90, 135 or 180 degree glass-to-glass door closure applications to prevent water escaping. Our offering of Water Seals and Sweeps allows the installer to put the finishing touch on a frameless shower enclosure, and assist in minimizing water leakage. Certain configurations of enclosures may still be subject to minimal water escape, but our water seals and sweeps contribute to helping control it and fit to square, sliding, corner entry type shower enclosures and will accommodate different glass thickness.



- Standard lengths to 220mm.
- Customized length option available.

E10-01WS


Finish: Clear

The clear plastic 'U' With Bulb Attachment is a versatile seal that can be mounted to the edge of a door or panel for a variety of installation configurations. The soft Bulb portion of the seal allows doors to swing both in and out of the enclosure if desired. Standard length 2200mm. Suitable to use on 10 & 12mm thick glass.


- E10-01WS/10MM
- E10-01WS/12MM


E10-02WS


Finish: Clear

This clear plastic "h" Strike Jamb is an excellent choice to seal between the door and the fixed panel on a 180° inline application. Attach to the fixed panel on the strike side. Standard length 2200mm. Suitable to use on 10 & 12mm thick glass.



- E10-02WS/10MM
- E10-02WS/12MM


E10-03WS


Finish: Clear

This ultra clear plastic One-Piece Bottom Rail is snapped on the bottom of the door to achieve a seal. Because it is a single piece sweep, it means the vinyl seal that hangs down from the sweep will firmly direct the water back into the shower enclosure. Standard length 2200mm. Suitable to use on 10 & 12mm thick glass.

- E10-03WS/10MM
- E10-03WS/12MM





E10-05WSF


Finish: Clear

Clear PVC Seal and Wipe between on the boom of the door as a wipe. Standard length 2200mm. Suitable to use on 10 & 12mm thick glass.



- E10-05WSF/10MM
- E10-05WSF/12MM


E10-06WSF


Finish: Clear

The clear Bottom Wipe With Drip Rail snaps onto bottom of door. Soft wipes on bottom create a water resistant seal. 45 degree Drip Rail deflects the water back into the shower. Standard length 2200mm. Suitable to use on 10 & 12mm thick glass.


- E10-06WSF/10MM
- E10-06WSF/12MM


E10-07WSF


Finish: Clear

Snap this plastic Drip Rail with vinyl Dual Wipes onto the bottom of the door. The 45° deflector will assist in keeping water in the shower. May also be used on the top of the door in steam applications. Standard length 2200mm. Suitable to use on 10 & 12mm thick glass.


- E10-07WSF/10MM
- E10-07WSF/12MM



E10-05MS

Made of Co-Extruded Plastic With Soft Magnetic Receiver. Provide Positive Door Closure, Mix and Match Configurations to Achieve Desired Result. Standard length 2200mm. Suitable to use on 10 & 12mm thick glass.

- E10-05MS/10MM
- E10-05MS/12MM



Finish: Clear

UAE Projects



Crowne Plaza - Business Bay, Dubai



First Group Millennium Hotel - Business Bay, Dubai



Le Meridian Mina Seyahi Resort - Dubai Marina




Forte Towers by Emaar D1 D2 - Downtown Dubai



Vida Dubai Mall, Downtown Dubai



Seven Hotel & Apartment - The Palm Jumeirah, Dubai



MovenPick - Business Bay, Dubai



Intercontinental Residence - Dubai Festival City



Omniyat Dorchester Palace - Business Bay, Dubai



Mercure & Grand Mercure Terhab, JVT



Amalfi Villas - Jumeriah Bay, Dubai



Ellington DT1 - Downtown Dubai



MBR Al Maktoum City - District One, Dubai




Qaryat Al Hidd Development - Abu Dhabi, UAE

International



Radisson Blue Resort - Riyadh, KSA



St. Regis Spa - Dammam, KSA

NOTES



Sales Office

Euro Art (UK) LTD.
69 Staverton Road, London
NW2 5HA

Warehouse

Brittania Mills Didsbury Street
Blackburn Lancashire, BB1 3JL
United Kingdom

T.: +44 1254 433883
M.: +44 787 565 1180
E.: uk@euro-art.co.uk

Oman Sales Office

Al Ghala, Muscat
T.: +968 24 117 173
M.: +968 77 027 925
E.: oman@euro-art.co.uk

Middle East, Asia & Africa

Euro Art (Middle East) FZCO
Warehouse ZE4
Jebel Ali Free Zone
Dubai, UAE

T.: +971 4 888 6345
M.: +971 50 297 9761
E.: me@euro-art.co.uk

UAE Distribution Center

Mobility General Trading LLC
Industrial Area, Behind Al Khail
Mall, Al Quoz
Dubai, UAE

T.: +971 4 269 3832
M.: +971 50 811 9561
E.: sc@euro-art.co.uk

Design Centers

Dubai: Airport Road
T.: +971 4 295 1105
M.: +971 54 990 7059
E.: me@euro-art.co.uk

Abu Dhabi: Najda Street
T.: +971 2 564 7111
M.: +971 50 209 9786
E.: ad@euro-art.co.uk

Doha: Barwa Village
T.: +974 4 490 7530
M.: +974 7 733 5728
E.: qatar@euro-art.co.uk

www.euro-art.co.uk